
1543 Union Center Maine Hwy ellen@nanticokegardens.com 607-754-5008 License #: OCM-AUCC-22-000079

Certificate of Analysis

Final



Size: 2000Units, Unit Count:

Potency Analysis by HPLC	Total TH	annabinoio IC: 20.42 3D: 0.115	% - 204.2		Date Completed: 09/01/2023 10:40AM
Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	20.95	209.5	
d9-THC	1972-08-3	0.001000	2.046	20.46	-
CBGa	25555-57-1	0.001000	0.6659	6.659	
CBG	25654-31-3	0.001000	0.2129	2.129	1
CBDa	1244-58-2	0.001000	0.1312	1.312	I. Contraction of the second se
CBDV	24274-48-4	0.001000	0.03169	0.3169	
d8-THC	5957-75-5	0.001000	ND	ND	
d10-THC	95543-62-7	0.001000	ND	ND	
THCV	31262-37-0	0.001000	ND	ND	
CBD	13956-29-1	0.001000	ND	ND	
CBC	20675-51-8	0.001000	ND	ND	
CBN	521-35-7	0.001000	ND	ND	
Test Comment: Cannabinoids analyzed by stated all QC passed. d8-THC is an abbreviation for de	-				moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise elta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Keeg N Such D



1543 Union Center Maine Hwy ellen@nanticokegardens.com 607-754-5008 License #: OCM-AUCC-22-000079

Certificate of Analysis

Final



Sample #: 2357					Lot #080205 Inzan
Terpenes by HS-GC-MS	G	ryophyllene	ÇÇÇÇ Valencene	55 Humulene	Date Completed: 09/05/2023 10:41AM
Compound	CAS#	LOQ (%)	%	Relative Concentration	
trans-Caryophyllene	87-44-5	0.1000	1.742		
alpha-Farnesene	502-61-4	0.1000	0.6013		
Valencene	4630-07-3	0.1000	0.4873		
alpha-Humulene	6753-98-6	0.1000	0.3934		
beta-Farnesene	18794-84-8	0.1000	0.1995		
R(+)-Limonene	5989-27-5	0.1000	0.1956		
Linalool	78-70-6	0.1000	0.1641		
beta-Myrcene	123-35-3	0.1000	0.1181	_	
(-)-Borneol	464-45-9	0.1000	ND		
(-)-Caryophyllene Oxide	1139-30-6	0.1000	ND		
(-)-Isopulegol	89-79-2	0.1000	ND		
(+)-Borneol	464-43-7	0.1000	ND		
(+)-Cedrol	77-53-2	0.1000	ND		
(1R)-(+)-Camphor	464-49-3	0.1000	ND		
3-Carene	13466-78-9	0.1000	ND		
alpha-Bisabolol	515-69-5	0.1000	ND		
alpha-Cedrene	469-61-4	0.1000	ND		
alpha-Pinene	80-56-8	0.1000	ND		
alpha-Terpinene	99-86-5	0.1000	ND		
alpha-Terpineol	98-55-5	0.1000	ND		
beta-Pinene	127-91-3	0.1000	ND		
Camphene	79-92-5	0.1000	ND		

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E Vestal, NY 13850 (607)301-0884

InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007



1543 Union Center Maine Hwy ellen@nanticokegardens.com 607-754-5008 License #: OCM-AUCC-22-000079

Certificate of Analysis

Final



Lot #080205 Inzane

Sample #: 2357

Compound	CAS#	LOQ (%)	%	Relative Concentration
cis-Nerolidol	142-50-7	0.1000	ND	
cis-Ocimene	3338-55-4	0.1000	ND	
Endo-Fenchyl Alcohol	14575-74-7	0.1000	ND	
Eucalyptol	470-82-6	0.1000	ND	
Fenchone	1195-79-5	0.1000	ND	
gamma-Terpinene	99-85-4	0.1000	ND	
gamma-Terpineol	586-81-2	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Geranyl Acetate	105-87-3	0.1000	ND	
Guaiol	489-86-1	0.1000	ND	
Hexahydro Thymol	15356-70-4	0.1000	ND	
Nerol	106-25-2	0.1000	ND	
p-Mentha-1,5-diene	99-83-2	0.1000	ND	
Pulegone	89-82-7	0.1000	ND	
Sabinene	3387-41-5	0.1000	ND	
Sabinene Hydrate	546-79-2	0.1000	ND	
Terpinolene	586-62-9	0.1000	ND	
trans-Nerolidol	40716-66-3	0.1000	ND	
trans-Ocimene	3779-61-1	0.1000	ND	

Pass		Analysis Date: 09/01/2023 10:11 am	
LOQ (%)	Limits (%)	Result (%)	Status
0.00100	2.0	ND	Pass
0.00100	0.03	ND	Pass
0.00100	5.0	ND	Pass
	LOQ (%) 0.00100 0.00100	LOQ (%) Limits (%) 0.00100 2.0 0.00100 0.03	LOQ (%) Limits (%) Result (%) 0.00100 2.0 ND 0.00100 0.03 ND

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E Vestal, NY 13850

(607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007

Kelly N Gueld



1543 Union Center Maine Hwy ellen@nanticokegardens.com 607-754-5008 License #: OCM-AUCC-22-000079

Certificate of Analysis

Final



Lot #080205 Inzane

Sample #: 2357

Мо	isture by Analyzer	Pass	•	Analysis Date: 09/01/2023 10:11 am		
	Compound	LOQ (%)	Limits (%)	Result (%)	Status	
	Moisture	1.2	5 - 15	12.7	Pass	
Com	ment: Physical chemistry was tested using moisture analyzer, wa	ter activity meter using P-NY 16	60. Unless otherwise stated, all QC passed			

Water Activity by Meter	Pass	;	Analysis Date: 09/01/2023 10:11 an	
Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status
Water Activity	0.05	0.65	0.52	Pass
Comment: Physical chemistry was tested using moisture ar	alyzer, water activity meter using P-NY 16	60. Unless otherwise stated, all QC passed	1.	

esticides by LCMSMS	Pass	5	Analysis Date: 09/05/2023 9:34		
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Abamectin	0.0100	0.5	ND	Pass	
Acephate	0.0100	0.4	ND	Pass	
Acequinocyl	0.0100	2	ND	Pass	
Acetamiprid	0.0100	0.2	ND	Pass	
Aldicarb	0.0100	0.4	ND	Pass	
Azadirachtin	0.0100	1	ND	Pass	
Azoxystrobin	0.0100	0.2	ND	Pass	
Bifenazate	0.0100	0.2	ND	Pass	
Bifenthrin	0.0100	0.2	ND	Pass	
Boscalid	0.0100	0.4	ND	Pass	
Captan	0.0100	1	ND	Pass	
Carbaryl	0.0100	0.2	ND	Pass	
Carbofuran	0.0100	0.2	ND	Pass	
Chlorantraniliprole	0.0100	0.2	ND	Pass	
Chlordane-alpha	0.0100	1	ND	Pass	
Chlorfenapyr	0.0100	1	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Gueld



1543 Union Center Maine Hwy ellen@nanticokegardens.com 607-754-5008 License #: OCM-AUCC-22-000079

Sample #: 2357





Lot #080205 Inzane

sticides by LCMSMS	Pass	i	Analysis Date: 09/05/2023 9:34 a		
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Chlormequat Chloride	0.0100	1	ND	Pass	
Chlorpyrifos	0.0100	0.2	ND	Pass	
Clofentezine	0.0100	0.2	ND	Pass	
Coumaphos	0.0100	1	ND	Pass	
Cyfluthrin	0.0100	1	ND	Pass	
Cypermethrin	0.0100	1	ND	Pass	
Daminozide	0.0100	1	ND	Pass	
Diazinon	0.0100	0.2	ND	Pass	
Dichlorvos	0.0100	1	ND	Pass	
Dimethoate	0.0100	0.2	ND	Pass	
Dimethomorph	0.0100	1	ND	Pass	
Ethoprophos	0.0100	0.2	ND	Pass	
Etofenprox	0.0100	0.4	ND	Pass	
Etoxazole	0.0100	0.2	ND	Pass	
Fenhexamid	0.0100	1	ND	Pass	
Fenoxycarb	0.0100	0.2	ND	Pass	
Fenpyroximate	0.0100	0.4	ND	Pass	
Fipronil	0.0100	0.4	ND	Pass	
Flonicamid	0.0100	1	ND	Pass	
Fludioxonil	0.0100	0.4	ND	Pass	
Hexythiazox	0.0100	1	ND	Pass	
Imazalil	0.0100	0.2	ND	Pass	
Imidacloprid	0.0100	0.4	ND	Pass	
Indolebutyric Acid	0.0100	1	ND	Pass	
Kresoxim-methyl	0.0100	0.4	ND	Pass	
Malathion	0.0100	0.2	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com

Permit #: OCM-CPL-2022-00007

Kelly N Guerla



1543 Union Center Maine Hwy ellen@nanticokegardens.com 607-754-5008 License #: OCM-AUCC-22-000079

Sample #: 2357

Certificate of Analysis

Final



Lot #080205 Inzane

sticides by LCMSMS	Pass	;	Analysis Date: 09/05/2023 9:34 a		
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Metalaxyl	0.0100	0.2	ND	Pass	
Methiocarb	0.0100	0.2	ND	Pass	
Methomyl	0.0100	0.4	ND	Pass	
Methyl Parathion	0.0100	0.2	ND	Pass	
Mevinphos	0.0100	1	ND	Pass	
MGK-264	0.0100	0.2	ND	Pass	
Myclobutanil	0.0100	0.2	ND	Pass	
Naled	0.0100	0.5	ND	Pass	
Oxamyl	0.0100	1	ND	Pass	
Paclobutrazol	0.0100	0.4	ND	Pass	
Pentachloronitrobenzene	0.0100	1	ND	Pass	
Permethrins, Total	0.0100	0.2	ND	Pass	
Phosmet	0.0100	0.2	ND	Pass	
Piperonyl Butoxide	0.0100	2	ND	Pass	
Prallethrin	0.0100	0.2	ND	Pass	
Propiconazole	0.0100	0.4	ND	Pass	
Propoxur	0.0100	0.2	ND	Pass	
Pyrethrins Total	0.0100	1	ND	Pass	
Pyridaben	0.0100	0.2	ND	Pass	
Spinetoram Total	0.0100	1	ND	Pass	
Spinosad Total	0.0100	0.2	ND	Pass	
Spiromesifen	0.0100	0.2	ND	Pass	
Spirotetramat	0.0100	0.2	ND	Pass	
Spiroxamine	0.0100	0.2	ND	Pass	
Tebuconazole	0.0100	0.4	ND	Pass	
Thiacloprid	0.0100	0.2	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com

Permit #: OCM-CPL-2022-00007

Kelly N Guela



1543 Union Center Maine Hwy ellen@nanticokegardens.com 607-754-5008 License #: OCM-AUCC-22-000079

Sample #: 2357





Lot #080205 Inzane

Pesticides by LCMSMS	Pass	;	Analysis Date: 09/05/2023 9:34 an	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Thiamethoxam	0.0100	0.2	ND	Pass
Trifloxystrobin	0.0100	0.2	ND	Pass
Comment: Pesticides tested by LCMSMS by using P-NY15	i0. Unless otherwise stated, all QC passed			

lycotoxins by LCMSMS	Pass	5	Analysis Date: 09/05/2023 9:34 am	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed

eavy Metals by ICPMS	Pass	5	Analysis Date: 09/01/2023 10:10 am	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Antimony	0.0100	2	0.0332	Pass
Arsenic	0.00100	0.2	0.00609	Pass
Cadmium	0.00150	0.3	0.0570	Pass
Chromium	0.280	110	0.939	Pass
Copper	0.0750	30	6.59	Pass
Lead	0.00250	0.5	0.0139	Pass
Mercury	0.000500	0.1	0.00547	Pass
Nickel	0.0100	2	0.142	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Gueld

Dr. Kelly Greenland, Lab Director

LABWARE GROW Cultivating Compliance 1543 Union Center Maine Hwy ellen@nanticokegardens.com 607-754-5008 License #: OCM-AUCC-22-000079

Sample #: 2357

Certificate of Analysis

Final



Lot #080205 Inzane

cro by Petri & qPCR	Pass		Analysis Date: 09/06/2023 9:28 am	
Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	0	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	0	0	Not Detected	Pass
Aspergillus niger Qualitative	0	0	Not Detected	Pass
Aspergillus terreus Qualitative	0	0	Not Detected	Pass
Salmonella Qualitative	0	0	Not Detected	Pass
Shiga Toxin-Producing E. coli Qualitative	0	0	Not Detected	Pass
Total Aerobic Bacteria	10		2000	Pass
Total Yeast & Mold	10		ND	Pass

"Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Keeg_N Guala Dr. Kelly Greenland, Lab Director

